
(12) **UK Patent Application** (19) **GB** (11) **2 039 556 A**

- (21) Application No **7937631**
(22) Date of filing **31 Oct 1979**
(30) Priority data
(31) **78/43158**
(32) **3 Nov 1978**
(33) **United Kingdom (GB)**
(43) Application published
13 Aug 1980
(51) **INT CL³**
D06M 13/20 // 13/46
(52) Domestic classification
D1P 1101 1110 1207 1287
1400 H
(56) Documents cited
EP 0001315 A1
GB 1519605
GB 1482782
GB 1428061
GB 1418720
(58) Field of search
C5D
D1P
(71) Applicants
Unilever Limited,
Unilever House,
Blackfriars,
London E.C.4,
England.
(72) Inventors
Martin Alan Wells
(74) Agents
P.G. Mole

(54) Fabric softening composition

(57) A storage stable fabric-softening composition comprises a water-insoluble cationic detergent having two C₁₂-C₂₂ alkyl or alkenyl groups and a free C₈-C₂₄ alkyl- or alkenylmonocarboxylic acid or polymer thereof. Further inclusion of a water-soluble cationic detergent surfactant or cationic polymer significantly increases the softening performance and resistance to residual anionics.

GB 2 039 556 A

SPECIFICATION

Fabric-softening composition

- 5 The present invention relates to a fabric softening composition and a process for preparing it. 5
 Fabric softening compositions are compositions that are used in the textile and detergent industry to impart a softness or soft feel to textile fabrics, as well as a certain antistatic effect.
 In particular in the household laundering operations, fabrics, when washed and dried, may tend to give a certain harsh feel to the skin, and in order to restore or improve the softness of the laundered fabric it has
 10 become common usage to treat the laundered fabrics, prior to drying, e.g. in a rinse bath, with so-called 10
 fabric softeners, which impart, through different mechanisms, a certain soft feel to the fabrics.
 In the art of fabric softeners, a host of materials, compounds and compositions have been proposed. Commercially, however, a very restricted amount of compounds is being used, and thereof the class of cationic detergent surfactants is the commercially important area.
- 15 Cationic detergent surfactants, either alone or in admixture with other surfactants, additives, etc. have 15
 indeed been proposed and used in the art quite extensively. This is particularly true for quaternary ammonium compounds having two long-chain aliphatic hydrocarbon groups, such as distearyldimethyl ammoniumchloride. Thus, combinations of such cationic detergent surfactants and fatty acid soaps have been proposed in the art, e.g. in British Patent Specifications 1,456,913 (Proctor & Gamble) and 1,453,093
 20 (Colgate). 20
- However, the storage stability of these soap-based systems over longer periods is not optimal for practical purposes, particularly when they contain a certain amount of electrolyte. Furthermore, this prior art describes wide ranges of cationic detergent surfactants and soap, whereas it has been found in the present invention that there are critical fatty acid:cationic ratios, above which the preparation of a stable product
 25 becomes very difficult, if not impossible. This critical ratio has been found to be for hardened tallow fatty acids for instance about 0.8:1 (mole ratio). Beyond these critical ratios the products may become undesirably viscous or even inhomogeneous. 25
- The present invention is based in part on the discovery that the above drawbacks can be significantly reduced, and a composition with quite satisfactory softening properties obtained, when using these cationic
 30 detergent surfactants in combination with a fatty acid under certain conditions, to be discussed hereafter. 30
- The present invention therefore relates to a fabric softening composition comprising a cationic detergent surfactant having two C_{12} - C_{22} alkyl or alkenyl groups, and a fatty acid, the latter being present in a relative proportion of 5-80 mole percent.
- The composition may be in any physical form, such as powders, flakes, granules, pellets, marumes, or
 35 liquids. Preferably they are in the form of an aqueous liquid. 35
- The amount of cationic detergent surfactant in the composition varies from 20-95 mole%, preferably 40-80 mole%, and the amount of fatty acid varies from 5-80, preferably 10-40 mole%. The total weight of cationic detergent surfactant plus fatty acid is from 2-20% by weight of the total composition.
- The cationic detergent surfactant (which is relatively water-insoluble) to be used according to the present
 40 invention contains two aliphatic alkyl or alkenyl chains having from 12-22, preferably 16-18 carbon atoms, therein. Typical examples thereof are di(hardened tallow) dimethyl ammoniumchloride and 2-heptadecyl-1-methylstearoyl amido ethyl imidazoline methosulphate. Other suitable examples of such cationic detergent surfactants having two long-chain alkyl groups can be readily found in the art, e.g. in the above-cited patents and in Schwartz-Perry, Vol. II, 1958, "Surface-active Agents and Detergents". Mixtures of two or more of
 45 these cationics may also be used. It is to be understood, however, that di(coco)dimethyl ammoniumchloride 45
 is not included within the above definition, as this compound is relatively water-soluble.
- The fatty acids to be used in the present invention are C_8 - C_{24} alkyl- or alkenylmonocarboxylic acids, or polymers thereof. Preferably the saturated fatty acids are used, and of these the hardened tallow C_{16} - C_{18} fatty acids. Mixtures of various fatty acids may also be used.
- 50 Although the above combination produces already a satisfactory fabric softening composition, it has quite 50
 unexpectedly been found that a very significant further improvement can be obtained if the above combination further comprises a relatively water-soluble cationic detergent surfactant. Hereby a significant softening advantage is obtained, particularly at high dosage. Furthermore, these ternary compositions may be less sensitive to anionic detergents, which may be carried over from the main wash and which may
 55 render conventional softeners less effective through complexation. 55
- These ternary compositions are also easier to process than the above binary mixtures, which give viscoelastic products at processing temperatures of about 60-70°C.
- The present invention therefore also relates to (and this is the preferred embodiment) a fabric softening composition comprising a relatively water-insoluble cationic detergent surfactant, a relatively water-soluble
 60 cationic detergent surfactant, and a free fatty acid. 60
- The amount of the relatively water-soluble cationic detergent surfactant is from 0-50, preferably 5-30 mole %, the other amounts being as indicated above.


Typical examples of relatively water-soluble cationic detergent surfactants are those having only one long-chain alkyl group, such as



wherein $R_1 = C_{10}-C_{24}$, preferably $C_{16}-C_{18}$ alkyl or alkenyl group
 R_2, R_3 and R_4 are each C_1-C_4 , preferably methyl groups and X is a halide or methosulphate.

Other such single long-chain cationic detergent surfactants are cetylbenzyl dimethyl ammoniumchloride, myristoyloxyethyl trimethyl ammoniumiodide, stearyloxyethyl trimethyl ammoniumchloride, tallow fatty acylcholinechloride, eicosyloxycarbonylmethyl trimethyl ammoniumchloride, stearylaminioethyl triethyl ammoniumchloride, behenylaminopropyl trimethyl ammoniumchloride, cetylsulphonylaminoethyl trimethyl ammoniummethosulphate, stearyloxyethylene oxyethyl tripropyl ammoniumchloride, cetylpyridiniumchloride, 3-cetyloxy-2-hydroxypropyl trimethyl ammoniumchloride and 3-behenoyloxy-2-hydroxypropyl trimethyl ammoniumchloride. Di(coco)dimethyl ammoniumchloride, being relatively water-soluble, is also embraced by the above definition of suitable relatively water-soluble cationic detergent surfactants.

Other suitable relatively water-soluble cationic detergent surfactants are



wherein $R_1 = C_{10}-C_{24}$, preferably $C_{16}-C_{18}$ alkyl or alkenyl group

$R_2 = H$ or $(C_2H_4O)_pH$ or $(C_3H_6O)_qH$ or C_1-C_3 alkyl

in which p and q are 0 or a number such that $p+q$ is at most 25,

$n =$ a whole number from 2-6, preferably 3,

$m =$ a whole number from 1-9, preferably 1-4,

$A^- =$ an anion, preferably a halide or acetate.

Mixtures of the above cationic detergent surfactants may also be used.

Instead of the above, relatively water-soluble cationic detergent surfactants, or in addition thereto, cationic polymers can be used, such as cationic polysaccharide gums, cationic starches or starch derivatives, cationic polyvinyl alcohol or polyvinylpyrrolidone, quaternized dextrans, quaternized hydroxyethylcellulose, cationic guar gum, copolymers of dialkylamino alkylmethacrylate etc. Suitable preferred examples are cationic guar gum, dextran (M.W. 500,000) substituted with diethylaminoethylgroups to give 3.2% N in the molecule, and hydroxyethylcellulose (M.W. 400,000), quaternized with 2,3-epoxypropyltrimethyl ammoniumchloride or 3-chloro-2-hydroxypropyltrimethyl ammoniumchloride.

The compositions of the invention may furthermore comprise the normal adjuvants, usually present in such compositions. Examples thereof are inorganic salts in minor amounts, such as sodium chloride, solvents such as ethyl- or isopropylalcohol or hexyleneglycol (up to 15%), nonionic surfactants such as condensates of ethylene oxide and or propylene oxide with fatty alcohols or fatty acids, esters of fatty acids with polyols e.g. glycerolmonostearate, ethoxylated sorbitan esters, in minor amounts (up to 5%), furthermore emulsifiers, perfumes, colourants, germicides, hydrotropes and so on. Clays, such as smectite-type clays, should not be included in any significant amount, as this may cause unstable products. The pH of the composition is 5 or below, or adjusted thereto.

The compositions of the invention may be made in any suitable manner. Preferably, however, the two or three essential ingredients are premixed, heated together until clear and then the molten mixture is added to water with stirring.

The invention will further be illustrated by the following Examples.

Examples 1-10

Samples 1-10 were made using the following raw materials:

	di(hardened tallow)dimethyl ammoniumchloride	(A) 75.5% active	
5	C ₁₈ -trimethyl ammoniumchloride	(B) 45.0% active	5
	fatty acids mixture, from hardened tallow	(C) 100 % active	

The chain length distributions (in %) of these last two chemicals are:

10		C ₁₂ /C ₁₄	C ₁₆	C ₁₈	Oleic	C _{20/22}	10
	C ₁₈ -trimethyl ammonium chloride	-	6	93	1	-	
15	fatty acids mixture, from hardened tallow	4	28	65	2	1	15

The hardened tallow alkyl radical in compound A had the above hardened tallow fatty acid distribution; compound A contained 74% quaternary ammonium compound, of which 92.35% by weight was the dialkyl compound (3.75% being the monoalkyl compound and 3.90% the trialkyl compound).

Each of the examples has been made by the same processing route, unless otherwise stated. This was:

The mixture of the three components A, B and C was heated to and maintained at 70°C until it was wholly liquid. This premix was then added over a period of 1 minute to stirred water at 70°C containing 0.10 g NaCl. The volume of water was such as to bring the total composition weight to 400 g. Stirring was continued for 15 minutes, and the resulting mixture allowed to cool to ambient temperatures.

The composition of Examples 1-10 were as shown in the following Table. The weight percentages in this Table are in each case the % by weight of the 100% active ingredient in the final composition. The mole percentages refer to the relative proportions of the active ingredients among themselves:

30	Sample No.	1	2	3	4	5	6	7	8	9	10	30
	A (wt%)	4.88	4.44	3.95	3.38	4.38	3.89	3.84	2.64	3.23	4.98	
35	B (wt%)	0.42	0.45	0.48	0.51	0.89	0.94	1.40	1.60	1.96	-	35
	C (wt%)	0.70	1.11	1.57	2.11	0.73	1.17	0.77	1.76	0.81	1.02	
40	Total wt of active ingredients	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	6.00	40
	A (mole%)	70	60	50	40	60	50	50	30	40	70	
	B (mole%)	10	10	10	10	20	20	30	30	40	-	
45	C (mole%)	20	30	40	50	20	30	20	40	20	30	45

Samples 1-8 and 10 were stable liquid products. Sample 9 separated because it was too thin. It was nevertheless included in some of the softening tests.

The superior softening properties of these mixtures was shown by the following tests.

Test 1

Compositions 1-4 and a commercial rinse conditioner based solely on di(hardened tallow) dimethyl ammoniumchloride were dispersed in demineralised water to give dilute aqueous dispersions containing 0.01% of the active ingredients in each case. Three pieces of clean cotton towelling (40 g) were rinsed in a Tergotometer pot with 800 ml of the aqueous dispersion at ambient temperatures for 10 minutes, followed by spin-drying and drying in a hot air cabinet. 5

This rinsing process using the five compositions was carried out in a series of Tergotometer pots, with each of the compositions used 4 times according to a balanced statistical design.

The resulting cloth pieces were assessed for relative softness in ranking order by a panel of 5 people.

10 Rankings were confined to each Tergotometer run (containing 4 compositions in 4 pots). 10

The average rankings for the 5 formulations are shown below (lower ranking = better softness):

	Example No.	Average Tanking	
15	1	2.97	15
	2	2.15	
	3	1.53	
	4	2.20	
	control	3.65	
20			20

The superior softening of the compositions over the control can clearly be seen.

Test 2

25 In this test compositions 5, 7 and 9 were compared with a control containing only di(hardened tallow) dimethyl ammoniumchloride, and a formulation 10 containing A and C but no B. The test was carried out in water of hardness 24° (French). The average ranking obtained among the five products was: 25

	Example No.	Average Ranking	
30	5	2.57	30
	7	2.17	
	9	2.38	
	10	1.90	
	control	3.48	
35			35

The superior softening of the compositions can again be seen.

Test 3

40 In this test compositions 6 and 8 were compared with the control under the same conditions as tests 1 and 2. The average softness rankings obtained were: 40

	Example No.	Average Ranking	
45	6	1.69	45
	8	1.58	
	control	2.73	

50 Again the superior softening is demonstrated. 50

Tests 4 and 5

This test demonstrates the advantage of having a triple rather than a double active system, particularly in rinses where a substantial amount of anionic detergent has been carried over from the wash. Test 4 shown below was carried out with dispersions containing 0.005% of the active ingredients to which had been added

5 0.002% of calcium dodecyl benzene sulphonate. Test 5 was carried out in identical fashion but without the calcium dodecylbenzene sulphonate.

5

Example No.	Average Ranking	Change in Ranking after adding Anionic	
	Ca DOBS added		
10			10
10	2.88	+ 1.06	
5	2.40	0	
7	2.22	- 0.48	
15 9	2.30	- 0.52	15
control	2.70	- 0.07	

20 Formulations 5, 7 and 9 contain added B. In the presence of Ca dodecylbenzene sulphonate these triple active formulations produce better softening than the control. In contrast formulation 10 (a double active system) performs very well under clean conditions but slightly worse than the control in the presence of anionic detergent.

20

25 *Example 11-14*

25

Five formulations were made in the manner described previously but containing a commercial behenic acid in place of the hardened tallow fatty acid. This fatty acid had the chain length distribution: (percentages)

	C ₁₆	C ₁₈	C ₂₀	C ₂₂	C ₂₄	
30	0.9	22.3	12.4	63.7	0.7	30

The formulations of these Examples were-

Sample No.	11	12	13	14	
A (wt%)	4.80	3.81	3.77	4.64	
B (wt%)	0.42	0.45	1.37	0.70	
40 Behenic Acid (wt%)	0.78	1.74	0.86	0.66	40
Total wt% of active	6.00	6.00	6.00	6.00	
A (mole%)	70	50	50	66 $\frac{2}{3}$	
45 B (mole%)	10	10	30	16 $\frac{2}{3}$	45
Behenic Acid (mole%)	20	40	20	16 $\frac{2}{3}$	

50 These four Examples were then tested for softness against a di-(hardened tallow) dimethyl ammonium-chloride control in the manner and conditions described in Test 2. The results were as shown below:


50

Example No.	Average Ranking	
55		55
11	2.33	
12	2.90	
13	2.17	
14	1.78	
60 control	3.32	60

Superior softening is again demonstrated.

Examples 15-18

A further five formulations were made in the manner described previously, but containing the following compound (D)



5

10 in place of the C₁₈-trimethyl ammoniumchloride (B). The formulations of these Examples were:

10

Sample No.	15	16	17	18	
15 A (wt%)	4.96	4.02	4.06	3.59	15
D (wt%)	0.29	0.37	1.13	1.34	
C (wt%)	0.74	1.61	0.81	1.08	
Total wt% of active	6.00	6.00	6.00	6.00	
20 A (mole%)	70	50	50	66 $\frac{2}{3}$	20
D (mole%)	10	10	30	16 $\frac{2}{3}$	
C (mole%)	20	40	20	16 $\frac{2}{3}$	

25 Formulations 15-18 were compared in a softening test with a control based solely on di(hardened tallow) dimethyl ammoniumchloride. The conditions were exactly as outlined in softness Test 2. The average softness rankings obtained for these five formulations were as shown below:

25

	Exaple No.	Average Ranking	
30	15	2.78	
	16	2.33	
	17	2.35	
35	18	1.97	35
	control	3.22	

The superior softening of the mixed active formulations over the control is evident.

Examples 19-21

Three products were made from A and stearic acid (E).

5 Example	Weight of A	Weight of Stearic Acid	A/Stearic Acid Mole Ratio	Per cent Active	5
19	19.61	4.98	5/1	4	
10 20	22.40	2.84	3/1	4	10
21	23.75	1.81	1.5/1	4	

A premix of A and stearic acid was made at 70°C and added slowly to demineralised water at the same temperature. Stirring was continued for 15 min. and the formulation weight taken to 500 g. 15

A Tergotometer test was carried out in London hard (24° hardness) water containing 0.005% of active ingredients. Two controls were included in the three test formulations: di(hardened tallow) dimethyl ammoniumchloride and dicoco dimethyl ammoniumchloride. The softness results expressed as average rankings were as follows:-

20	Product	Ranking	20
	di(hardened tallow) dimethyl ammoniumchloride	2.77	
25	dicoco dimethyl ammoniumchloride	3.60	25
	19	2.32	
30	20	1.45	30
	21	2.37	

35 *Example 22-27* 35

Three compositions 22-24, containing fatty acids, were made by the following procedure:

27.2 g of A and 4.88 g of C were melted together at 55°C until a clear homogeneous liquid was obtained.

This clear liquid was then poured into a stirred vessel containing 467.92 g of distilled water at 55°C

40 containing: 40

for product 22 - 0 g NaCl

for product 23 - 0.4 g NaCl

for product 24 - 0.8 g NaCl

45 45

Stirring was continued for 10 minutes at which point the resulting dispersions were set on one side and allowed to cool to room temperature.

Another three compositions 25-27, containing however a soap instead of fatty acids, were made by an identical procedure except that the active premix contained 26.78 g of A, 5.18 g of sodium stearate, with 2 g of isopropyl alcohol and 2 g of water, to aid the production of a clear homogeneous premix. The clear premix was added to 464.04 g of distilled water at 55°C containing the same quantities of NaCl. 50

The 6 products 22-27, all 5% total active, 2/1 cationic/anionic mole ratio with 0, 0.08% and 0.16% NaCl were observed over a period of 2 weeks.

The results obtained are tabulated below:

55	Formulation	% NaCl	Stability after 2 weeks	55
	5% 22	0	stable - no separation	
	5% 23	0.08	"	
60	5% 24	0.16	"	60
	5% 25	0	"	
	5% 26	0.08	separated into 2 layers	
	5% 27	0.16	"	

65 65

It can be seen that the products of the invention can tolerate NaCl up to 0.16% without any deleterious effect on stability. The same is not true of the soap containing products.

Examples 28-31

5 Four products 28-31 were made from the following raw materials. The compositions of these 4 Examples is shown in the table below. The weight percentages in this table are in each case the % by weight of the 100% active ingredient in the final composition.

10	Ingredients	Product composition in % by weight				10
		28	29	30	31	
15	A (79.4% active)	2.96	2.99	2.96	2.99	15
	Do(coco)dimethyl ammonium-chloride (79.4% active)	0.60	0.30	-	-	
20	C (100% active)	0.48	0.72	0.48	0.72	20
	C ₁₆ -trimethylammonium-chloride (47.7% active)	-	-	0.6	0.3	

25 These four products were made by the following method. The mixture of the 3 components was heated to and maintained at 60°C until wholly liquid. This premix was added to stirred deionised water at 60°C. The volume of water was such as to bring the total composition weight to 500 g. Stirring was continued for 10 minutes.

30 All samples were stable liquid products.

The softness performance of these 4 formulations was compared with that of a commercial rinse conditioner based solely on di(hardened tallow) dimethyl ammoniumchloride. (The method of testing is that described on page 8 of the specification except that the aqueous dispersions contained 0.015% of active ingredients).

35 The average rankings for the 5 formulations were as shown below:

	Product	Average ranking	
40	28	2.43	40
	29	1.73	
	30	2.73	
	31	2.03	
	control	3.57	

45 The superior softening of all the mixed active formulations is clearly seen.

Examples 32-37

Six compositions 32-37 were made, four of which contained a cationic polymer. These polymers were:

- E - a cationic guar gum, known under the tradename Gendriv 162 from General Mills Corp.
 5 F - a dextran of MWt ~ 500,000 substituted with diethyl aminoethyl groups to give 3.2% N in the molecule. 5
 G - a hydroxyethyl cellulose of NWt ~ 400,000 quaternised with 2,3-epoxypropyl trimethylammoniumchloride or 3-chloro-2-hydroxy-propyl trimethylammoniumchloride.

These polymers were included in products based on the raw materials

A (74% active)

- 10 C (100% active) 10

The compositions of the products containing these polymers and the controls are shown below:

Product No.	32	33	34	35	36	37	
15 Ingredient (% by weight)							15
A	4.0	4.0	4.0	4.0	4.32	4.32	
C	1.0	1.0	1.0	1.0	0.68	0.68	
20 E	-	0.2	-	-	-	-	20
F	-	-	0.2	-	-	-	
G	-	-	-	0.2	-	0.2	

- 25 These examples were made by the following method. A and C were heated to and maintained at 65°C until wholly liquid. This premix was added to 300 ml stirred deionised water at 65°C. Immediately afterwards a solution dispersion of the polymer in 100 ml of deionised water was added, followed by sufficient water to bring the total composition weight to 500 g. Stirring was continued for 10 minutes. 25

The softness performance of formulations 32-35 was compared with that of a commercial rinse

- 30 conditioner based solely on di(hardened tallow) dimethyl ammoniumchloride. (The method is the same as that described on page 8 except that aqueous dispersions contained 0.01% of active ingredients and 0.002% of added sodium dodecylbenzene-sulphonate.) 30

The average rankings in this test were

35	Product	Average ranking	35
	32	3.27	
	33	2.17	
	34	2.50	
40	35	2.45	40
	control	2.12	

It can be seen that the presence of polymer has greatly improved softness performance in the presence of anionic detergent carryover. (product 33-35vs 32).

- 45 Under identical conditions the performance of formulations 36 and 37 was compared with a control. The results are shown below 45

	Formulation	Average Ranking	
50	36	2.38	50
	37	1.64	
	control	1.98	

- 55 55

CLAIMS

1. A fabric softening composition comprising from 20-95 mole% of a relatively water-insoluble cationic detergent surfactant having two C₁₂-C₂₂ alkyl or alkenyl groups, and from 5-80 mole % of a free C₈-C₂₄ alkyl- or alkenylmonocarboxylic acid, the total amount of cationic detergent surfactant plus alkyl- or alkenylmonocarboxylic acid being from 2-20% by weight of the total composition. 60
2. A composition according to claim 1, comprising from 40-80 mole % of the cationic detergent surfactant and from 10-40 mole % of the alkyl- or alkenylmonocarboxylic acid.
- 65 3. A composition according to claim 1 or 2, wherein the cationic detergent surfactant contains two C₁₆-C₁₈ 65

alkyl- or alkenyl groups.

4. A composition according to any one of claims 1-3, wherein the alkylmonocarboxylic acids are the hardened tallow C_{16} - C_{18} saturated fatty acids.

5. A composition according to any one of claims 1-4, further comprising from 0-50 mole % of a relatively water-soluble cationic detergent surfactant.

6. A composition according to claim 5, comprising from 5-30 mole % of the relatively water-soluble cationic detergent surfactant.

7. A composition according to claim 5 or 6, wherein the relatively water-soluble cationic detergent surfactant contains one C_{10} - C_{24} alkyl group.

10 8. A composition according to any one of claims 1-4, further comprising a cationic polymer.

9. A composition according to claim 8, wherein the cationic polymer is a cationic guar gum, a quaternized dextran or a quaternized hydroxyethylcellulose.

15 10. A process for preparing aqueous compositions of claims 1-9, comprising premixing the cationic detergent surfactant and the alkyl- or alkenylmonocarboxylic acid, heating the resulting premix until it becomes clear, and adding the resulting, clear premix to water with stirring.

11. A composition according to any one of claims 1-9, substantially as hereinbefore described in any one of the specific Examples.

12. A process for preparing an aqueous composition according to claim 10, substantially as hereinbefore described in any one of the specific Examples.